


# ALUMINIUM CORNER BEAD

**NORGIPS®**

Aluminium corner bead for reinforcing outer plasterboard edges



## PRODUCT DESCRIPTION

Aluminium corner bead, on equal leg lengths, made of perforated aluminium sheet. Available in widths of: 22 x 22, 29 x 29 mm.

## INTENDED USE

Designated for reinforcing corners of walls covered with cement, lime or gypsum plasters and plasterboards, for indoor use. For use in environments with atmospheric corrosivity category C1, C2 or C3.

## TECHNICAL PARAMETERS

Material	Aluminium
Reaction-to-fire performance	A1
Atmospheric corrosivity category	C1, C2, C3



Plasterboards + Profiles + Compound + **Accessories** = NORGIPS Solution

**ADVANTAGES**

- **Moisture resistance.** Atmospheric corrosivity category C3 (rooms with increased humidity).
- **Light weight.** Lightweight for transportation.
- **Marking Designations** for easy product identification.

**DIMENSIONS AND PACKAGING**

Profile type / length		Number of units in a packaging
[mm]	[m]	[pcs]
22 x 22	2,5	50
	3,0	
29 x 29	2,5	50
	3,0	

**NOTES FOR GUIDANCE**

Use the corner beads in accordance with manufacturer's recommendations and design guidelines. Consult any other area of application with the design engineer. Suitable for outdoor use, in environment category C3.

**ADDITIONAL INFORMATION**

Applicable standard: PN-EN 13658-1:2009 Metal lath and beads. Definitions, requirements and test methods. Part 1: Internal plastering

Declaration of Performance: available on the website [www.norgips.pl](http://www.norgips.pl)

**NORGIPS sp. z o.o.**

ul. Krakowiaków 50,  
02-255 Warsaw, PL  
tel. + 48 605 338 181

[www.norgips.pl](http://www.norgips.pl)

The data presented in this leaflet constitutes solely a product description. It represents a general guidance based on our knowledge and experience, not related to specific applications. Since our products are subjected to constant improvements and development, we reserve the

right to change their parameters without prior notice. The data presented herein cannot form a basis for any claims. If you have any questions, please contact the Norgips Technical Department / Norgips Representative.