


FLAT L-HANGER 180

Flat attic hanger for CD 60 profiles

NORGIPS®



PRODUCT DESCRIPTION

Hanger for attics, 180 mm long, made of zinc-coated 0.7 mm sheet metal. Metal framing component in accordance with PN-EN 13964:2014-05.

INTENDED USE

Attic lining. Flat hanger designated for affixing CD 60 profiles to wooden structures (e.g. roof truss systems). Designated for attic linings, ceiling claddings and dropped ceilings. In the case of the L 180 hanger, it is possible to lower the lining structure by 150 mm. The hanger is affixed to the structure with two screws and snap-on fixed to CD 60 profiles. Suitable for horizontal and inclined surfaces.

TECHNICAL PARAMETERS

Material	DX51D
Sheet metal gauge [mm]	0.7
Type of corrosion protection	Zinc-coated steel
Durability	Class B
Reaction-to-fire performance	A1
Allowable load [N]	117



Plasterboards + Profiles + Compound + **Accessories** = NORGIPS Solution

ADVANTAGES

- **Modularity.** Tested as a part of NORGIPS plasterboard lining systems.
- **Stiffness.** The hanger is made of 0.7 mm sheet metal and has a stiffening ribbing providing the structure with stability.
- **Fire safety.** Tested as a part of fire protection systems with declared fire resistance rating.
- **Marking.** Designations for easy product identification.

DIMENSIONS AND PACKAGING

Bulk packaging	Number of units in a packaging [pcs]
Cardboard box	100
	50

NOTES FOR GUIDANCE

The hanger requires indoor storage.

Do not expose directly to weathering effects. Use the accessories in accordance with manufacturer's recommendations and design guidelines.

Consult any other area of application with the design engineer.

ADDITIONAL INFORMATION

Standard PN-EN 13964:2014-05 Metal framing components for gypsum board systems. Definitions, requirements and test methods.

Declaration of Performance: available on the website www.norgips.pl

NORGIPS sp. z o.o.

ul. Krakowiaków 50,
02-255 Warsaw, PL
tel. + 48 605 338 181

www.norgips.eu

The data presented in this leaflet constitutes solely a product description. It represents a general guidance based on our knowledge and experience, not related to specific applications. Since our products are subjected to constant improvements and development, we reserve the

right to change their parameters without prior notice. The data presented herein cannot form a basis for any claims. If you have any questions, please contact the Norgips Technical Department / Norgips Representative.